ı

SEQUENCE LISTING

```
<110> ROMOND, Pierre-Charles
<110> RENAUD, Michel
<110> ALRIC, Monique
<110> MEINIEL, Olivier
<110> BALLUT, Lionel
<120> METHOD FOR DETECTING MICRO-ORGANISMS
<130> 344 292 - US
<150> PCT/FR 01/02 371
<151> 2001-07-20
<150> FR 00/09 600 <151> 2000-07-21
<150> FR 00/12 524
<151> 2000-10-02
<160> 189
<170> PatentIn Ver. 2.1
<210> 1
 <211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
       for detecting the amplification of the intergenic
       region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
 <222> (3)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (12)
 \langle 223 \rangle n = a, q, c or t
 <220>
 <221> misc_feature
 <222> (15)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (18)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (21)
. <223 > n = a, g, c or t
```

```
<400> 1
ggngayaary tngcnggnag ncaygg
                                                                      26
<210> 2
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
ggngayaary tngcnggncg ncaygg
                                                                     26
<210> 3
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoEC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
```

```
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> 3
ggngayaary tngcnaayag ncaygg
                                                                     26
<210> 4
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<400> 4
ggngayaary tngcnaaycg ncaygg
                                                                     26
<210> 5
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
```

```
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> 5
qqnqayaara tggcnggnmg ncaygg
                                                                     26
<210> 6
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> 6
ggngayaart tygcntcnmg ncaygg
                                                                     26
<210> 7
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
```

```
region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n m a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> 7
qqnqayaart tyqcnaqymq ncayqq
                                                                    26
<210> 8
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> B
ggngayaart tygcnacnmg ncaygg
                                                                   26
<210> 9
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
```

for detecting the amplification of the intergenic

```
r gion of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or l
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<400> 9
                                                                    26 .
aaygcngayt tygayggnga ycarat
<210> 10
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<400> 10
aaygcngayt tygayggnca ratggc
                                                                   26
<210> 11
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_fcature
<222> (18)
<223> n - a, g, c or t
<400> 11
aaygcngayt tygayggnga ygarat
                                                                   26
```

```
<210> 12
<211> 26
<212> DNA
<213> Artificial scquence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<400> 12
ggnggncarm gnttyggnga ratgga
<210> 13
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_fcature
<222> (12)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
```

26

```
<223> n - a, g, c or t
<400> 13
ggnggncayg gnttyggnga ralgga
<210> 14
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<400> 14
ggnggncarw snttyggnga ratgga
<210> 15
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (6)..(7)
<223> n ~ a, g, c or l
<220>
<221> misc_f atur
<222> (9)
```

<220>

20/01 2003 LUN 17:52 FAX 01 44 29 35 99 CABINET REGIMBEAU

9 $\langle 223 \rangle$ n = a, g, c or t <220> <221> misc_feature <222> (12) <223> n = a, g, c or t <220> <221> misc_feature <222> (18) <223> n = a, g, c or t<400> 15 ggnggnntnm gnttyggnga ratgga 26 <210> 16 <211> 26 <212> DNA <213> Artificial sequence <223> Description of artificial sequence: Primer for detecting the amplification of the intergenic region of the rpoBC operon of micro-organisms <220> <221> misc_foature <222> (3) <223> n = a, g, c or t<220> <221> misc_feature <222> (9) <223> n = a, g, c or t<220> <221> misc_feature <222> (12) $\langle 223 \rangle$ n = a, g, c or t <220> <221> misc_feature <222> (21) <223> n = a, g, c or t<220> <221> misc_feature <222> (24) <223> n = a, g, c or t. <400> 16 ggnaarcgng tngaytaytc nggnmg 26 <210> 17 <211> 26 <212> DNA <213> Artificial sequence

<223> Description of artificial sequence: Primer

<220>

26

10

for detecting the amplification of the intergenic region of the rpoBC operon of micro-organisms

```
<220>
<221> misc_feature
<222> (3)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 17
ggnaarcgng tngaytayag nggnmg
<210> 18
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
```

```
<221> misc_feature
<222> (24)
<223> n = a, g, c or l
<400> 18
ggnaaragng tngaytayte nggnmg
                                                                      26
<210> 19
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the cook operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 19
ggnaaragng tngaytayag nggnmg
                                                                      26
<210> 20
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primor
      for detecting the amplification of the intergenic
      rogion of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
```

```
<221> misc_feature
<222> (9)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 20
ggnaarcgng gngaytaytc ngtnmg
                                                                            26
<210> 21
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
       for detecting the amplification of the intergenic
       region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature <222> (12)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
\langle 223 \rangle n = a, g, c or t
<400> 21
ggnaarcgng gngaytayag ngtnmg
                                                                            26
```

```
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 22
ggnaaragng gngaytaytc ngtnmg
<210> 23
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
```

20/01 2003 LUN 17:53 FAX 01 44 29 35 99 CABINET REGIMBEAU

```
<220>
<221> misc_featur
<222> (21)
\langle 223 \rangle n = a, q, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 23
ggnaaragng gngaytayag ngtnmg
                                                                    26
<210> 24
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n - a, g, c or t
<400> 24
ggnaarcgng tngayttytc nggnmg
                                                                    26
<210> 25
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the int rgenic
      region of the rpoBC operon of micro-organisms
```

```
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_fcature <222> (9)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<221> misc_feature
<222> (24)
<223> n = a, q, c or t
<400> 25
ggnaarcgng tngayttyag nggnmg
<210> 26
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
```

```
<400> 26
ggnaaraging tingayttytc nggnmg
                                                                      26
<210> 27
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (12)
<223> n = a, g, c or t
<220>
<22]> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n ≈ a, q, c or t
<400> 27
ggnaaragng tngayttyag nggnmg
                                                                     26
<210> 28
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
```

```
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (24)
<223> n = a, g, c or t
<400> 28
ggnaarcgng tngayttytc ngcnmg
                                                                    26
<210> 29
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Doscription of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n - a, g, c or t
<400> 29
ggnaarcgng tngayttyag ngcnmg
                                                                   26
<210> 30
<211> 26
<212> DNA
<213> Artificial sequence
```

```
<220>
 <223> Description of artificial sequenc : Primer
        for detecting the amplification of the intergenic
        region of the rpoBC operon of micro-organisms
 <220>
 <221> misc_feature
 <222> (3)
 <223> n = a, g, c or t
 <220>
 <221> misc feature
 <222> (9)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (12)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (21)
 <223> n = a, g, c or t
<220>
<221> misc_feature
·<222> (24)
 <223> n - a, g, c or t
<400> 30
ggnaaragng tngayttytc ngcnmg
<210> 31
<213> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      for detecting the amplification of the intergenic
      region of the rpoBC operon of micro-organisms
<220>
<221> misc feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n - a, g, c or t
<220>
<221> misc_feature <222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
```

```
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 31
ggnaaragng tngayttyag ngcnmg
                                                                       26
<210> 32
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      corresponding to a proteinic motive of HSP10
      from Escherichia Coli.
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<100> 32
ctggaygtka arrtnggyga yatygt
                                                                       26
<210> 33
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
      corresponding to a proteinic motive of HSP10
      from Escherichia Coli.
<220>
<221> misc_feature
<222> (2)..(3)
<223> n = a, g, c or t
<221> misc feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c \text{ or } t
<400> 33
annacngtng crgtrgtggt rccgtc
                                                                      26
<210> 34
<211> 26
<212> DNA
<213> Artificial sequence
```

```
<220>
<223> Description of artificial s quence: Consensus
      Primer (UNI-ADEG 1)
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)..(25)
<223> n = a, g, c or t
<400> 34
ggngayggna chachaenge nachnt
                                                                     26
<210> 35
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus
      Primer (UNI-ADEG 2)
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
```

```
<220>
 <221> misc_feature
 <222> (12)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (15)
<223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (1B)
 <223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t.
<220>
<221> misc_feature
<222> (24).. (25)
<223> n = a, g, c or t
<400> 35
ggngayggna cnacnacntg ntcnnt
<210> 36
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting enterobacteria (ENT-BNEW).
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n - a, g, c or t
<400> 36
aanmttcgtc cnytrcanga ycgngt
```

```
<210> 37
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting clostridia (CLO-BNEW2)
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n - a, g, c or t
<400> 37
athariccay twggwgaymg ngtwgt
                                                                     26
<210> 38
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Consensus sequence
      for detecting bifidobacteria (BIF-BNEW).
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<400> 38
aarccrctcg aggacmrnrt nstsgt
                                                                     26
<210> 39
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Lactococcus (UNI-A3).
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
```

```
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_fcature
<222> (24)..(25)
<223> n = a, g, c or t
<400> 39
ggngayggna cnaanacngc nacnnt
                                                                       26
<210> 40
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Bifidobacterium and Mycobacterium (BIF-BNEW2).
<220>
<221> misa_feature
<222> (9)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 40
atcaageene tmgrrgacmr srtnst
                                                                       26
<210> 41
<211> 26
<212> DNA
<213> Artificial sequence
<220>
```

```
<223> Description of artificial sequence: Consensus sequence
      for detecting Helicobacter (NEL-RNEW).
<220>
<221> misc_feature
<222> (1)
<223> n = a, g, c \text{ or } t
<220>
<221> misc_feature
<222> (3)
<223> n ~ a, g, c or t
<221> misc_fcature
<222> (6)
<223> n = a, q, c or t
,<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 41
ntncancent tnggnganag ngtntt
                                                                     26
<210> 42
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Campylobacter (CAM-BNEW).
<220>
<221> misc_feature
```

```
<222> (1)
 <223> n - a, g, c or t
 <220>
 <221> misc_feature
 <222> (3)
 <223> n = a, g, c or t
 <220>
<221> misc_feature
 <222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
\langle 223 \rangle n = a, g, c or t
<400> 42
ntneancent tngqnaancg ngtnet
<210> 43
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting bacteroids (BACT-BNEW).
<220>
<221> misc_feature
<222> (1)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
```

```
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 43
ntnaancent tngenganeg ngtnet
                                                                     26
<210> 44
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Consensus sequence
      for detecting Chlamydia (CHLA-BNEW).
<220>
<221> misc_feature
<222> (1)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (3)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_tcature
<222> (6)
```

```
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 44
ntnaancent tnggnganag natntt
<210> 45
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Mycoplasma (MYCP-BNEW).
<220>
<221> misc_feature
<222> (1)
<223> n = a, g, c or t
<220>
<221> misc feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)..(10)
<223> n = a, g, c or t
<220>
<221> misc_fcature
<222> (12)
```

```
\langle 223 \rangle n - a, g, c or t
 <220>
 <221> misc_feature
 <222> (15)
 \langle 223 \rangle n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (18)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (21)
 <223> n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (24)
 <223> n = a, g, c or t
 <400> 45
 ntnaaaccnn tnggnaancg ngtnat
 <210> 46
 <211> 26
 <212> DNA
 <213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
       for detecting Staphylococcus (STA-BNEW).
<220>
<221> misc_feature
<222> (1)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (9)..(10)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature <222> (18)
```

```
\langle 223 \rangle n = a, g, c or t
 <220>
 <221> misc_feature
 <222> (21)
 \langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
 <222> (24)
 <223> n = a, g, c or t
<400> 46
ntnaaaccnn tnggnaancg ngtnat
                                                                        26
<210> 47
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
       for detecting Lactoccocus and Streptoccccus (LACC-BNEW).
<220>
<221> misc_feature
<222> (9)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (14)
<223> n = a, g, c or t
<400> 47
ttgaaaccnt tagngraycg ygtrst
                                                                        26
<210> 48
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Lactobacillus and Bacillus (LACB-BNEW).
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
```

```
<400> 48
Llamarccaw tmggngatcg ngtnrt
                                                                      26
<210> 49
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Consensus sequence
      for detecting Clostridium (CLO-BNEW3).
<220>
<221> misc_feature
<222> (3)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (5)
<223> n = a, g, c cr t
<220>
<221> misc_feature
<222> (10)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t
<400> 49
atnanaccan tnggngacag ngtngt
                                                                     26
<210> 50
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Enterobacteriaceae, Pasteurella, Haemophilus
      (ENT-BNEW2).
<220>
```

```
<221> misc_feature
<222> (1)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_tcature
<222> (3)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (6)
<223> n = a, q, c or t
<220>
<221> misc_feature
<222> (9)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (18)
<2.23> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
<223> n - a, g, c or t
<400> 50
ntncgnccnt tncangancg ngtnat
                                                                      26
<210> 51
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Neisseria, Legionella (LEG-BNEW).
<220>
<221> misc_feature
<222> (1)
<223> n = a, g, c or t
<220>
```

```
<221> misc_Feature
 <222> (3)
 <223> n a, g, c or t
 <220>
 <221> misc_feature
 <222> (6)
 <223> n = a, g, c or t
 <220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (15)
<223> n = a, g, c or t
<220>
<221> misc_feature <222> (18)
<223> n = a, g, c or t
<220>
<221> misc_feature
<222> (21)
\langle 223 \rangle n = a, g, c or t
<220>
<221> misc_feature
<222> (24)
\langle 223 \rangle n = a, g, c or t
<400> 51
ntncgnccnt tncangancg ngtngt
<210> 52
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Consensus sequence
      for detecting Aeromonas and Bordetella (AER-BNEW).
<220>
<221> misc_feature
<222> (1)
<223> n - a, g, c or t
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t
<220>
```

```
<221> misc_feature
  <222> (6)
  <223> n = a, g, c or t
  <220>
  <221> misc_feature
  <222> (9)
  <223> n = a, g, c or t
  <220>
  <221> misc_feature
  <222> (12)
  <223> n = a, g, c or t
  <220>
  <221> misc_feature <222> (15)
  <223> n = a, g, c or t.
  <220>
  <221> misc feature
  <222> (18)
  <223> n = a, g, c or t
  <220>
  <221> misc_feature
  <222> (21)
  <223> n = a, g, c or t
  <220>
  <221> misc_feature
  <222> (24)
  \langle 223 \rangle n = a, g, c or t
  <400> 52
 ntnegneene theanganeg ngthat
 <210> 53
 <211> 26
  <212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
  <220>
<221> misc_feature
  <222> (3)
  <223> n = a, g, c or t/u
  <220>
  <221> misc_feature
  <222> (6)
  <223> n = a, g, c or 1/u
  <220>
  <221> misc_feature
  <222> (9)..(10)
  <223> n = a, g, c or t/u
  <220>
  <221> misc_feature
```

```
<222> (12)
 <2.23> n = a, g, c or t/u
 <220>
 <221> misc_feature
 <222> (18)
 \langle 223 \rangle n = a, g, c or t/u
 <400> 53
 ggnggncann snttyggnga ratgga
 <210> 54
 <211> 26
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> Description of artificial sequence: Primer
<220>
 <221> misc_feature
<222> (6)
<223> n - a, g, c or t/u
<220>
<221> misc_feature .
<222> (18)
<223> n = a, g, c or t/u
<400> 54
aaygcngayt tygayggnga ysarat
                                                                           26
<210> 55
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Primer
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<400> 55
```

qqnggncarm gnttyggnga ratgga

26

```
<210> 56
<211> 26
<212> DNA
<213> Artificial scquence
<220>
<223> Description of artificial sequence: Primer
<220>
<221> misc feature
<222> (3)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<400> 56
ggnggncayg gnttyggnga ratgga
                                                                        26
<210> 57
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
<220>
<221> misc_feature
<222> (3)
<2.2.3> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
```

```
<400> 57
ggnggncarw snllyggnga ratgga
                                                                             26
<210> 58
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
<220>
<221> misc_feature
<222> (3)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (6) ... (7)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
\langle 222 \rangle (12)
\langle 223 \rangle n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<400> 5B
ggnggnntnm gnttyggnga ratgga
                                                                            26
<210> 59
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<400> 59
aaygcngayt tygayggnga ycarat
                                                                            26
```

```
<210> 60
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
<220>
<221> misc_feature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<100> 60
aaygcngayt tygayggnca ratggc
                                                                        26
<210> 61
<211> 26
<212> DNA
<213> Artificial sequence
<223> Description of artificial sequence: Primer
<220>
<221> misc_fcature
<222> (6)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<400> 61
aaygcngayt tygayggnga ygarat
                                                                       26
<210> 62
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Description of artificial sequence: Primer
<220>
<221> misc_fcature
<222> (9)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t/u
<400> 62
```

atytsrtcme orteraarte ngertt	26
<210> 63 <211> 333 <212> DNA	
<213> Lactobacillus reuteri	
<100> 63 cttgttaagg aattacaagc attaggtctt gatatgaagg ttcttgatgg taacaacaag gaaattcagt taaagaacat ggacgaagat gatgatgaag ttgtaaatgt tgatgcatta gctaaatatg cagaagaaca taaaacagac gataagaaga acgaagaaga aaacaagtct gaagcaactt caacaactac cgatgacaaa actaatcaaa attaatattt aggttgctac ggtttactga aagaaggag aacatccttt gattgatgtc aataaatttg aaagtatgca gatcgqtctg gcatctccag ataagatccg tag	60 120 180 240 300 333
<210> 64 <211> 338 <212> DNA <213> Bacillus subtilis	
<400> 64 cttgttaagg aacttcaatc attaggtttg gatattcgtg ttcttgatat gaatcataat	50
gaaattgaac ttcgtgatat ggatgaagat tcaagtgaac acttaaacat tgattcattg tcacgtatgg cagaagaaca agaaaagaag aagttagccg aagaaactgg aaaatcagaa gataagaaag aaaacaagaa agatgcagat aagctagtag ctcctgcaga tgaatctgac gacgaagttt ctaaatagta ggaggttaaa cttttgatcg acgtaaataa atttgaaagt atgcaaattg gtcttgcatc acctaacaag atcagaag	50 120 180 240 300
	338
<210> 65 <211> 329 <212> DNA <213> Lactobacillus gaseri	
<400> 65	
cttgttaagg aacttcaatc cttaggtttg gatattaaag tcttagatat ggaccacaag gaaattgaat tacgtgacat ggatgatgat tctaatgatc acttcaacat tgacacttta tctaagcttg ctgaacaaca agaaagaag aagttagccg aagaagctgc aaagaaagat gataagtcag ccgaacctgt agatcagagt gattcttcaa cttcatctga tgataaggtt tctaagtaat aggaggttaa acttttgatc gacgtaaata agtttgaaag tatgcaaatt ggtttggctt ctccaaacaa gatcagaag	60 120 180 240 300 329
<210> 66 <211> 296 <212> DNA <213> Tactobacillus paracasei	
<400> 66	
cttgtcaaag aartgcaagc actgggtctg gatatgaagg tccttggcgc ggataaaaaa gaaattgaac tgcgggacat ggacgacgac gaggatgata ttgttctgt cgatgccttg gcgaagtttg ctgctcagca ggaagaaaag aaggctcacg aagccgcagc acaagcaact gacggtaagt ctgccaacag taccgacgat aagaaatagg aggttagccc tttgattgat gtcaataagt ttgaaagtat gcaaatcggc ttagcctcgc cagataaaat ccgtag	60 120 180 240 296
<210> 67 <211> 386 <212> DNA <213> Lactococcus lactis	
<400> 67	

gttcttgact attactcctg gaagctttga atttactgac ttattagaag	agttacaatc tacgtgaatt aaatgcttga ttaacgctga aaaaatttct tggagaaaga cacaaaaaa	ggatgaagat agcacaggaa tactgaaaaa gtcagtaaat attggttgat	gaagtaatga gctattgttg taagaltttg ctctaatctc	ctcgtccaga cacaagcaga taattaatat ataatcgtct	taatacagaa agctgaagaa tttgagatag agcgttaaat	60 120 180 240 300 360 386
<210> 68 <211> 344 <212> DNA <213> Strep	ptococcus py	yogenes				
gaagtggaac ctcgagaagg gaaaaataag ggaactggta	aattgcaatc ttcgtgatct cacgtgaana caatcaattc aagtcatcaa aaatcacatt	tgatgaaggt acaagctcaa ttattaaata aggcagaaag	gaagacgatg gaaactcaag attatttact gtaaaactag	acattatgca aagtttotga ggtotggggo tggttgacgt	tgttgacgat aacaactgac aaaggcccca	60 120 180 240 300 311
<210> 69 <211> 318 <212> DNA <213> Lacto	obacillus he	elveticus	·			
gaaatagaaa ttatcaggtg acaaaagaat	aacttcaaag tgagaggattt atgaagagcc aatctctagt cccttgctag atccgttc	agaagacgaa ggaagaaaca tataaaggca	gaagatgcga gcatctgcag agtgacatcg	aacaagctga acgttgaacg gttaatccga	cggcctggca cgatgtagta agataaaaag	60 120 180 240 300 318
<210> 70 <211> 318 <212> DNA <213> Bacii	llus subtili	Ls				
gaaatagaaa ttatcaggtg acaaaagaat	aacttcaaag tgagagattt atgaagagcc aatctctagt cccttgctag atccgttc	agaagacgaa ggaagaaaca tataaaggca	gaagatgcga gcatctgcag agtgacatcg	aacaagctga acgttgaacg gttaatccga	cggcctggca cgatgtagta agataaaaag	60 120 180 240 300 318
<210> 71 <211> 304 <212> DNA <213> Baci	llus halodu	cans				
gagattgaaa aatattgatt ttgctcttta	agctacagtc tgaaagagct caacagaatc aattcgttac aaacaatttt	tgatgatgag aaatgtttaa ctgcttttgg	gatgaacaag tcagctgaaa acatggaaat	caagcgacaa ggggagcagt cataagggag	attgaacttg cccctttcac gttggcccct	60 120 180 240 300 304

<210> 72 <211> 363 <212> DNA <213> Staphylococcus aureu	s ·		
<100> 72 ttgatgaaag aattacaaag ttta gaaatcgaaa tgacagacgt tgat caaaatgatg ctcctgaaac acaa ggcaanaaga tactaagclg aatt aaataaatgc aaatcaatca aata gattgatgta aataatttcc atta ttc	gacgat gatgttgtag aaagaa gttactgatt ttattg atgattcagt gcacag ctaatctaaa	aacgcaaagt a aatacgcaat t ttagtacttt a ttgaaggagg t	agatttacaa 120 ttacaaaaca 180 aagccatttt 240 taggeteett 300
<210> 73 <211> 352 <212> DNA <213> Clostridium spirofor	me		
<pre><400> 73 ttaaagaaag agttacaagc actt gaagttgata tgcgtaatat tgaa gatgaagtaa ttgaaactcc aaaa gatttaaatg tagaagaatg tgac gaagacaatg atattgaaga aagt ataaattctc agcgattcaa attg</pre>	gaagag gaacatcgtt actgat gatgaagttt gtatgt gaagaagata gaatca ttataggagg	tcccgcgtag c ccgaagaaat t actttgagga c aattacgatg	cattgataaa 120 tactgaagat 180 caatgacttc 240 gcaaatacaa 300
<210> 74 <211> 358 <212> DNA <213> Clostridium leptum		·	
<pre><400> 74 ctcattaagg agcttcagtc cctg gagatcgacc taaagcagaa cttt accattctgg aggaggatga agtc ccggacgata acaacatgtt tgac ttggattttg attccattgc aagt agtttaacgt ttttgagtca atta</pre>	gacgac gatgacgata atgacc tccatggatg gattcc ggcttttttg gatatt cgtgaagaat	teggettgaa o getacaceet g acgaagaegg a aaggaggge g	cgacggcggc 120 ggaggacgat 180 agacgatctt 240 gataggatgg 300
<210> 75 <211> 376 <212> DNA <213> Clostridium nexile			
<pre><400> 75 ctcctgaaag aacttcagtc actg gaagttgaga ttatggagac aatc ggagacagaa gatacaattc tgag gaatttgcag gcgaggaact tgtg atcgattttg acgatatgtt agac ataatgaacc agcataccag ccga ctgaaaaaat cttgga</pre>	gattac ggtgaaacag aatgaa tcttatggag gatgta gaggaagatg gaagaa taggaggatt	atttacatte a aacatggttt c aatttgatga a gccaataatg c	attatigaa 120 agtcagcag 180 accggatgat 240 acagtaacaa 300
<210> 76 <211> 391 <212> UNA			

<213> Ruminococcus hydrogenotrophicus	
<400> 76 ctcttaaaag aacttcagtc cetgggtetg gacgtgagag teetcaacga agaccagace gaggtggaga teatggagag egtggattae ggtgatacag atetgeacte cateattgag ggagategte ategttegea ggatgagtee tacggageaa tgggatatae gaagcaggaa tttteeggtg aagagetggt agacategae gagagtgaag acgacagega agacgaagat gaagatttga ttgaattgga agattetett gacagagaag agtagaaagg ggtaagaaac aaatggeaga aatgaacaac aatgaaacet ateagecaat gaetttegat gecateaaaa teggactgge gteecetgag aaaatcagag a	60 120 180 240 300 360 391
<210> 77 <211> 182 <212> DNA <213> Chlamydia muridarum	
<400> 77 ttgattaaag aaatgcaagg tctagggctc gatgttcgcc ctatggtagt agatgcttaa aaaacacttg ttggagataa gttaatgttc aaagaaggtt ctcgagacga tgcagcccta gcaaaagaag ggttgtttga taagttagaa attgggattg cttcagatgt gactattcgc ga	60 120 180 182
<210> 78 <211> 182 <212> DNA <213> Chlamydia trachomatis	
<400> 78 ttgattaaag aaatgcaagg totagggott gatgttogco otatggtagt agatgcttaa aaaacacttg ttggagagaa gttaatgtto agagaaggtt otogagacga tgcagcottg gtaaaagaag ggctgtttga taagttagaa attgggattg ottcagatgt gactattogo ga	60 120 180 182
<210> 79 <211> 181 <212> DNA <213> Chlamydophila pneumoniae	
<400> 79 ctaattaaag agatgcaqqq tctaqqactt gatgttcgtc ctatggtcgt agacgcttaa aaaatqacqt tttggagaaa ataatgttcg gagaaaattc tcgagacatt ggagttcttt ctaaagaagg actatttgat aaattagaga taggcatagc ttcagatatt acaattcgtg a	60 120 180 181
<210> 80 <211> 181 <212> DNA <213> Chlamydophila pneumoniae	
<100> 80 ctaattaaag agatgcaggg tctaggactt gatgttcgtc ctatggtcgt agacgcttaa aaaatgacgt tttggagaaa ataatgttcg gagaaaattc tcgagacatt ggagttclll ctaaaagaagg actatttgal aaallagaga taggcatagc ttcagatatt acaattcgtg a	60 120 180 181
<210> 81 <211> 181 <212> DNA	

<213> Chlamydophila pneumoniac	
<400> 81	
ctaattaaag agatgcaggg tctaggactt gatgttcgtc ctatggtcgt agacgcttaa	60
aaaalgacgt tttggagaaa ataatgttcg gagaaaattc tcgagacatt ggagttcttt	120
ctamagaagg actatttgat aaattagaga taggcatagc ttcagatatt acaattcgtg	180
-	181
<210> 82	
<211> 225 <212> DNA	
<213> Klebsiella pnoumoniae	
<400> 82	
ttgttgaaaq aqattcqttc gctgggtatc aacatcgaac tggaagacga gtaattctcg	60
ctcaaacagg tcactgotgt cgggttaaaa cccggcagcg gattgtgcta actccgacgg	120
gagcaaatcc gtgaaagatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt	180
tgatgogate aaaattgoto tggottogoo agacatgato cgtto	225
<210> 83	
<211> 225	
<212> DNA <213> Escherichia coli	
·	
<400> 83	
ttgttgaaag agatlogtto gotgggtato aacatogaac tggaagaoga gtaattotog otcaaacagg toactgotgt ogggttaaaa cooggoagog gattgtgota actoogaogg	60
gagcamatec gtgamagatt tattamagtt tetgamageg cagactama cegamagagll	120 180
tgatgcyalc assattgctc tggcttcgcc agacatgatc cgttc	225
<210> 84	
<211> 225 <212> DNA	
<213> Escherichia coli	
<400> 84	
ttgttgaaag agattegtte getgggtate aacategaae tggaagaega gtaatteteg eteaaacagg teaetgetgt eggggtaaaa eeeggeageg gattgtgeta aeteegaegg	60
gagcanatec gtganagatt tattamagtt tetganageg cagactama cegangagtt	120 180
tgatgcgatc aaaattgctc tggcttcgcc agacatgatc cgttc	225
•	
<210> 85	
<211> 225	
<212> DNA <213> Escherichia coli	
VEIDS ESCHELICATA COTT	
<400> 85	
ttgttgaaag agattegtte getgggtate aacategaae tggaagaega gtaatteteg	60
ctcaaacagg tcactgctgt cggggtaaaa cccggcagcg gattgtgcta actccgacgg gagcaaatcc gtgaaagatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt	120
tgatgcgatc aaaattgctc tggcttcgcc agacatgatc cgttc	180 225
<210> 86	
<211> 225	
<212> DNA <213> Escherichia coli	
<400> 86	

ttgttgaaag aqattcgttc gctgggtatc aacatcgaac tggaagacga glaallclcg ctcaaacagg tcactgctgt cgggglaaaa cccggcagcg gallqtgcta actccgacgg gagcaaatcc gtgaaagatt tatlaaagtt tctgaaagcg cagactaaaa ccgaagagtt tgatgcgalc aaaattgctc tggcttcgcc agacatgatc cgttc	60 120 180 225
<210> 87 <211> 225 <212> DNA <213> Salmonella typhimurium	
<400> 87 ctgttgaaag agatccgctc gctgggcatc aacatcgaac tggaagacga qtaattctcq ctcaaacagg tcactggtgt cqqqqtaaaa cccqacacca gattgtgcta actccgacgg gagcaaatcc qtqaaaqatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt tqatqcqatc aaaattgctc tggcttcgcc agacatgatc cgttc	60 120 180 225
<210> 88 <211> 225 <212> DNA <213> Enterobacter cloacae	
<400> 88 ctgttgaaag agattcgttc gctgggtatc aacatcgaac tggaagacga gtaattctcg ctcaaacagg tcactggtgc cgggttaacc cccggcaccg gattgtgcta actccgacgg gagcaaatcc gtgaaagatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt tgatgcgatc aaaattgctc tggcttcgcc agacatgatc cgttc	60 120 180 225
<210> 89 <211> 225 <212> DNA <213> Citrobacter freundii	
<400> 89 ctgttgaaag agattegtte getgggtate aacategage tggaagaega gtaacteteg atcaaacagg teactggtge tggegtaata gecagegeea gattgtgeta acteegaegg gagcaaatee gtgaaagatt tattaaagtt tetgaaageg cagactaaaa cegaagagtt tgatgegate aaaattgege tggeetegee agacatgate egite	60 120 180 225
<210> 90 <211> 225 <212> DNA <213> Klebsiella oxytoca	
<400> 90 ttgttgaaag agattcgctc gctgggcate aacatcgaac tggaagacga gtaactctcg ctcaaacagg tcactggtge cggggtaaga cccggcgcca gattgtgcta actccgacgg gagcaaatcc gtgaaagact tattaaagtt tctgaaagcg caaactaaaa ccgaagagtt tgatgcgatc aaaattgete tggcatcgce agacatgate cgttc	60 120 180 225
<210> 91 <211> 267 <212> DNA <213> Serratia liquefaciens	
<pre><400> 91 ctgttgaaag aaatccgctc geteggtate aacatcgaac tggaagacga gtaatcgttt ttccagctca ggctcccggc cttagggagc ctgagggtgg ttgttcaggt cacacgggtg cgcgatttgt cagcgtgcac ccaacaggtt taactccgac aggagccaat ccgtgaaaga</pre>	60 120 180

cttattgaag tttetgaaag egeaaactaa gacegaagag tttgatgega teaagattge tetggeateg eeagacatga leeylle	240 267
<210> 92 <211> 267 <212> DNA <213> Serratia marcescens	
<400> 92	
ctqttgaaag aaatccgctc gctcggcatc aacatcgaac tggaagacga gtaatcgtca	60
tgccggctca ggctccccgc ctaagggaqc ctgagggtgg ttgttcaggt cacacgggta cctactgcgg ttgtgggtac ccaacaggtt taactccgac aggagccaat ccgtqaaaga	120 180
cttattgaag tttctgaaag cqcaaactaa qaccgaagaq tttgatqcga tcaagattgc	240
tetggeeteg ceagacatga teegtte	267
<210> 93	
<211> 257 <212> DNA	
<213> Morganella morganii	
<400> 93	
ttgctgaaag aaatccgttc cctcggtatc aatatcgagc tggaagacga gtaattaccg ttgtggctgc ccgtggtaca cgggcagcac cagtaaatct ggtttaaggg acaaacagac	60 120
gaccgtttgt ctcacaggtc taactccgac aggagccatt tcgtgaaaga cttattaaag	180
tttctgaaag cgcaaaccaa gaccgaagag tttgatgcga tcaaaattgg tctggcctca	240
cotgacatga ttogtto	257
<210> 94 <211> 271	
<211> 271 <212> DNA	
<213> Proteus mirabilis	
<400> 94	
tigitgaaag agatoogito actgggtato aacatogaat tggaagacga ataacgtatt	60
ccatgaaage agactgetaa atatggeagt etgetaaaca gtgaetaeae tggtttaaag gggtgaatga caggggteat ttgeetggea ggtetaaete egacaggage catttegtga	120 180
aagacttatt aaagtttctg aaagcgcaaa ccaagaccga agagtttgat gcgatcaaaa	240
ttgctctggc atcacctgat atgatocgtt c	271
<210> 95	
<211> 253 <212> DNA	
<213> VIBRIO CHOLERAE	
<400> 95	
ctgttgaaag agartegete getgggtate aacategage tagaagaega ataataaace	60
ctaeggtttc cccgcaaggg gaagcctacc ggtttcggta ggaaggtgct cgttgccaat cgcagcgagt tccttttaac tccttacagg agctgaatgt gaaagactta ttaaactttc	120 180
taaaagcaca gcataagacc gaagaatttg atgegatcaa aateggtetg getteaceag	240
acatgateeg ttc	253
<210> 96	
<211> 214 <212> DNA	
<212> DNA <213> Pseudomonas acruginosa	
<400> 96	
ctgatcasag agatccgttc gctcggcatc gacatcgaac tggasaccga ataacacgtg	60

<400> 101

acgetaçaeg gtgeggetgg leuuggeegg tgaaagaett gelluulelg ttgaaaaece gtattggeet ggettegeee gagatgatte	agggtcaaat	tccgtgagga cgaagagttc	ggaaaggeet gatgeeatee	120 180 214
<210> 97 <211> 214 <212> DNA <213> Pseudomonas acruginosa	٠			
<400> 97				
ctgatcaaag agatccgttc getcggcatc acgctagacg gtgcggctgg tcaaqqccqq tgaaagactt qcttaatctg ttgaaaaacc qtattqqcct ggcttcgccc gagatgattc	tcgcaccggg agggtcaaat	tccgtgagga	ggaaaggcct	60 120 180 214
<210> 98 <211> 212 <212> DNA				
<213> Pseudomonas putida				
<400> 98				
ttgatcaaag agatccgttc gctcggtatc	gatatcgatc	tggaaaccga	ataacacgtg	60
acqcqaaggg gagtggggca ggtaatgctg aaagacctac tgattttgct gaaaaaccag	ggtcaagtcg	aagagttcga	aaaggccttg cgccatccgc	120 180
atcggtctgg cgtcgcctga aatgatccgt	tc			212
<210> 99 <211> 228 <212> DNA				
<213> Shewanella violacea				
<400> 99	•			
ttgttgaagg aaatccgttc actcggtatt	aatatcgagt	tggatcaaga	ctaaaattaa	60
cttaggttaa tttggcaata aattggtgtc tcaggagaga aacgtgaaag acttattaaa	ctgcattagc gtttctgaaa	ggggcacccg	gtttactcct	120 180
atttaacggt atcaagatcg gactagcgtc	accagatctg	atccgctc	~ ga o o ga a ga	228
<210> 100				
<211> 393				
<212> DNA <213> Haemophilus influenzae				
<400> 100 attatgamag mantcogete acttggttta	aatatcoagt:	tadacqaada	otaatcacto	60
attactataa atggtgctga tcccttggct	ccacccgttt	acqqqqqaqc	tggcgcgaag	120
actgaggggg gatttatatc ctaagcccc gcaggggaag gcaagaggaa caacaacata	tteegeeett	cgggcacctt	ccctcgcaaa	180 240
ttctccgaaa trrttaaccg cactttaaac	ctttaactcc	gacaggagaa	catttotoaa	300
agacttagtt angtttttaa aagcacaatc nattgggtta gcttccccag atatgatccg	aaaaaccagt ttc	gaagattttg	atgtgattaa	360 393
				333
4010: 401				
<210> 101 <211> 262				
<212> DNA				
<213> Pasteurella multocida				

attatgaaag aaatto atcataacca agetto ttcageegea ettgaa agtttttaaa ageaca cetcacegga catgat	gytyt aaagcaatyt itaag tttaactccg aatca aaaacaagtg	acgcgcaagt acaggagcaa	gcggtaaaaa atctgtgaaa	tttttaaaat gacttagita	60 120 180 240 262
<210> 102 <211> 306 <212> DNA <213> Neisseria m	neningitidis				
<400> 102 ttqqtcaaaq aqattc tttcagacgg cataag aacgaaatgc cgtctg aaaatacttc cttcaa tgccggcatg gaagaa ccgctc	ggga golgtlotgo aaaa cactgtacct ggag caaaaatgaa	aggtatgcgg ctatccatat tttgttgaac	ggcagccgac cgaaaatccg ttatttaatc	aatgtttaaa ccatgcggta cgttgcaaac	60 120 180 240 300 306
<210> 103 <211> 311 <212> DNA <213> Noisseria m	eningitidis				
<400> 103 ttggtcaaag agattc gttttcagac ggcctt tcggcattta ggccgt cggtaaaaat acttcc caaactgccg gcatgg accatccgct c	tcag ggtcgtctga ctga aatcaaaagt ttca aggagcaaaa	aaaagtggtt accglllccc atgaatttgt	tcagaataag aalatcgaaa tgaacttatt	aalgaagcaa atccgccatg taatccgttg	60 120 180 240 300 311
<210> 104 <211> 226 <212> DNA <213> Buchnera sp					
<400> 104 cttttaaaag aaattc tagcaatatt ataaaa agagctaacq tqtgaa ttqatqctat taaaat	atat ttatqtatta agat ttactaaaat	tttatttacc ttctaaaatc	ttaaaagttt ccaaactaaa	tactccaacq	60 120 180 226
<210> 105 <211> 247 <212> DNA <213> Xylella fas	tidiosa				
<400> 105 ctcgtgaaag aaatcc ttgttatgga ttaatt tcgtccgat gcccga agcagcgcca gacatt ttagatc	catc tgtttggagg attt cggagaagaa	cccagagete gtatgaaaga	cattgtcctc tctactcaat	tgtttccaac ctttttaatc	60 120 180 240 247
<210> 106 <211> 265 <212> DNA					

<213> Caulobacter crescentus	
<400> 106 ctggtcaagg aaatgcgctc gclcggcctg aacgtcgagc tggagaacag ctgatctggatctccctcct cgcctgcccc tcttaggaag ggtggccggg gaggggcctc ctttcagccc gctctccctc aagaattttc gcgggaaacc ccgcagaagg aaccaagatg aaccaggaag tcctgaacat cttcaatccg gtccaggccg ctccgacctt cgaccagatc cgtatctcgc tcgcctcgcc	60 120 180 240 265
<210> 107 <211> 325 <212> DNA <213> Mezorhizobium loti	
<400> 107 ctcglcaagg aaatgcggtc tctcggcctc aatgtcgagc tggagaacac caagctcgac gacgccctg tccggctgcc cgacgcggcc gagtaaaggc tacagcgcgc cgcacgaagt tgcggcgcgc aaaggaattc gacggccqgt ggccgacaa agatggcggg cgtttggccc gcgactagat gcaaggggt ttcgaggacc ccgaaaagga gaacggcatg aaccaagagg tcatgaatct cttcaatccg caggcgctg cgcaggtgtt cgattccatc cggatctcac tggccagccc tgagaagatt ctgtc	60 120 180 240 300 325
<210> 108 <211> 311 <212> DNA <213> Rickettsia prowasekii	
<pre><400> 108 atgataaaag aatttagatc tttatgtctc aacgtaaagc ttgaagtaac tccaagtaaa taaagtgtat atagttgta cataatttgt cttgttgtat aatttaaaaa ttgttattgc aagccaaact aaatgaatgt agtgagccat aatgttattt tgtatttaag ctatggagta acattttaga gtaggagtaa tttttaggga aaagtattta tgagcgtagt taatttttat ggacaattaa gtaatactca acaatttgac cagataagga ttaatatagc cagtcctgat caggtacgtt c</pre>	60 120 180 240 300 311
<210> 109 <211> 188 <212> DNA <213> Borrelia burgdorferi	
<400> 109 ctaatqcaag agettagagg gettggaett gatttgtcaa tetatgatga tgetgggaat	60
caggitecti igacagaaaa agaagaagaa tigattaata aaagetaggi titiggagit intatgaaag agaraaaaga titigaaaga ataaaaatta aaatagegie teeegateaa attagaaa	120 180 188
<210> 110 <211> 197 <212> DNA <213> Treponema pallidum	
<400> 110 ttggtgcagg agctgcgggg acttgcgctc gactttacga tttacgatgc gaagggcaag cagattccgc tcactgagcg cgatgaagaa atgacgaata agattggctc taaattttaa ggggtgcagg gaatgaagga tatccgggat tttgacagtt tacagataaa gcttgcctcc cctgatacca ttcgggc	60 120 180 197

<210> 111 <211> 159 <212> DNA <213> Campylobacter jejuni <400> 111 ttaaccaatg agettaaate tettgettta gatgttgaga tttttgataa ggatgaagat aatgagtaaa tttaaagtaa tagaaattaa agaagatgca agacetagag attttgaage atttcaacta agacttgcaa gteetgaaaa aatcaaate	60 120 159
<210> 112 <211> 161 <212> DNA <213> Helicobacter pylori	
<400> 112 ttgactaaag aattgcaatc getegetttg gatattaata tttttgggga cgatgtggat gaggatggag cacetaaace cattgtcatt aaagaagatg acaggcetaa agactttage tetttccage teacactage tagecetgaa aaaatccatt e	60 120 161
<210> 113 <211> 161 <212> DNA <213> Helicobacter pylori	
<400> 113 ttgactaaag aattgcagto gotogotttg gatattaata tttlligggga ogalylygal gaagatggag ogoctagaco cattatgato aaagaagatg acaggootaa agactttago totttocago toactotago tagoootgaa aagatocatt o	60 120 161
<210> 114 <211> 175 <212> DNA <213> Aquifex aeolicus	
<400> 114 ctcgtaagag agctaaaggc tcttgggcta aacgttaagt gtctgaatgg tgaagagaag ccttgtgacg aggttgaagt taaagaggag gaagaaaaat gagtgaagca agaagggqta tcttcccctt ctcaaaaatt aaattgatgc tcgcttctcc cgaggatatc agaag	60 120 175
<210> 115 <211> 175 <212> DNA <213> Aquifax pyrophilus	
<400> 115 ctcqttaggg ageteaaagg teteageett aacgttaagt gtatgaacgg tgaggagaag ccctqtqacc aagttqagat taaagaggag gaagaaaaat gagcacaaaa ggtaggggta tettteettt eteaaaaatt aagettatge tegettetee egacgatate agaag	60 120 175
<210> 116 <211> 293 <212> DNA <213> Deinococcus radiodurans	
<400> 116 ctggtcaagg aactccacte geteggtetg gaegtegagg tgetegacea eggegaeaag	60

geographica tetttgaagg gatgalgeee aagegelaag gegeelgegg eaelgeeaae eegtegagea etgleaaaee glelaaaggl caaacegeea acatetttea geographic ggtgagacag ttegaeggtt tgaecaacaa aagageetee attecacagg ageetgaatg aaagaettea acaaagteeg categeeate geoageeegg agaagateeg ega	120 180 240 293
<210> 117 <211> 177 <212> DNA <213> Thermus aquaticus	
<400> 117 ctggtgaagg agcttcaggc cetggeeetq qacqtqcaqa ceetqqacqa qaaqqacaac eeegtggaca tttttqaqqq cetggeetee aagaggtgag ceetttetg gaggaaagat qaaaaaqqaa qteeqcaagg teegcatege cetggeetee eeegagaaga teegete ;	60 120 177
<210> 118 <211> 174 <212> DNA <213> Thermotoga maritima	
<400> 118 ctcatcaaag aactcagagg tetegegete gatgtgagae tetaegatga gaacggtaae gagatagata tegaesagta etgattgga ggttggtaga atgeeaatgt eetettteaa gaggaagata aaggeaatte agataaagat ageeteteeg gaagtqataa gaag	60 120 174
<210> 119 <211> 324 <212> DNA <213> Streptomyces coelicolor	
<400> 119 ctcatcaagg agatgcagtc cetgtgcetc aacgtggagg tgctgtcetc ggacggcatg tccatcgaga tgcgtgacac cgacgaggac gtcttccgcg cagcgggaga gctcggcatc gacctgtcgc ggcgcagcc gagcagcgtc gaagaggtct gacgggagtc aggcggggcc tgtcctccac aggccccgcc gatcccgca cccccgtttc agaccacaga cttacaaccc tgagagggat tgacgcatag tgctcgacgt caacttcttc gacgagctcc ggatcggtct ggccaccgct gacgacatcc gtca	60 120 180 240 300 324
<210> 120 <211> 261 <212> DNA <213> Mycobacterium leprae	
<pre><100> 120 ctgctcaagg agttacagtc gctgtgtctc aacgtcgagg tgctgtcgtc cgacggtgcg gcgatcgagt tqcgcgaagg tgaggatgag gacctcgagc gggctgcggc caacctcggt atcaacttgt cccgcaacga atcggcgtcc atagaagatc tggcttagcg aacttggcat tatcgtcact aaacccgcaa ggggaaaggg agttacgtgc tagacgtcaa cttcttcgat gaactccgca ttggcctggc taccgcggag gacattcgtc a</pre>	60 120 180 240 281
<210> 121 <211> 277 <212> DNA <213> Mycobacterium tuberculosis	
<400> 121 ctgctcamag mactgcagte getgtgeete aacgtegagg tgetategag tgaeggtgeg gegategaae tgegegaagg tgaggaegag gaeetggage gggeegegge cameetggga	60 120

attactaaac	cccgcaacga ccqttagggg tcttgctacc	aaagggagtt	acglgclcga	ttgcgtaaag cglcaacllc	ctgtcgcaaa tlcgutguac	180 240 277
<210> 122 <211> 277 <212> DNA <213> Myco	bacterium t	uberculosis	٠			
gcgatcgaac atcaatctgt attactaaac	aactgcagtc tgcgcgaagg cccgcaacga ccgttaggg tcttgctacc	tgaggacgag atccgcaagt aaaqqqagtt	gacetggage gtegaggate aegtgetega	gggccgcggc ttgcgtaaag	caacctqqqa ctqtcqcaaa	60 120 180 240 277
<210> 123 <211> 192 <212> DNA <213> Porp	hyromonas c	angingivali.	5			
tgtgattata	agctcaaagg gttttttcct aagataaagg ga	catcagaata	aateteeeat	tatatagtta	tggcattcaa	60 120 180 192
<210> 124 <211> 257 <212> DNA <213> Myco	plasma geni	calium				
caacaagact aatgattttg	aattacaggg ccaataatgt aatttgacac ataacaagct ttttgaa	ttccatcttg tgagggttat	caaagtgatg tagaaattaa	gggaacaaga caatgacaac	tgaatttttc aacaagacgt	60 120 180 240 257
<210> 125 <211> 245 <212> DNA <213> Myco	plasma pneur	noniae				
caacaagatt aatgactttg	aactacaagg ccaacaacgt aatttgacac acaagaacat	ttcaattctc ggagggttat	caagctgatg taattaatga	gagaacagga caaagcgtaa	cgatctcttt taaaaagaac	60 120 180 240 245
<210> 126 <211> 305 <212> DNA <213> Urea	plasma ureal	yticum.				
<400> 126 ttaacaaaac	aaatgcaagg	tttagggtta	tgtattaccg	ttgaaacaaa	agatgatcgt	60

atggtagata ttaatgaata tacactaaat caaaatcglt taaalaalga cgalgalgag qttattttag atgaaaalct aaaagagatc aalgattcta atgaagaaat atttaataca aactttaata ataatgacta lgatgatgaa gagaacttct aaataataga aaggtaaaat aatatgagle aaaaagggat taaatcatta acgatttcca ttgettcace tgaacaaatt llaaa	180
<210> 127 <211> 244 <212> DNA <213> Mycoplasma pulmonis	
<400> 127 ttagcctatg aattaagagg qctaqqaatc aaacttcaaa ttcatgaaaa agaagaagaa aaacaagaac taccaagcca agaatatgaa agtttaaatc ttgatcaaga gctaaaaaca qcttctqaaa atqttagtga aagtgagttt taattatgcc aaaaactaga aaatattcaa cagttgatga agaaaagatt ttaaaagtta gcttatctct tgcaactaaa gaagatgttt taga	120 180
<210> 128 <211> 202 <212> DNA <213> Plasmodium falciparum	
<400> 128 attttaaaag agttacaaag tttagctatt aatatagaag ctttttgtat atttaatgat acaaataatt tattagaaaa tttacctatt aatataattt attaataatg ataatacata ataatataaa ttttatagga ttaaaattaa ataataaa tcctaaacaa ataataaaat ggtcttcaat atttataaa aa	120
<210> 129 <211> 136 <212> DNA <213> Archaeoglobus fulgidus	
<400> 129 cttctggatg agctgaagtc aatgatgatc gctccgagaa taattctcgg agataaggca tgaggtgaaa tgagatggta ccgaagagga tttcagccat taaatttgag gttctctccc cccaagagat aagaag	60 120 136
<210> 130 <211> 169 <212> DNA <213> Methanothermobacter thermoautotrophicus	
<400> 130 thacttotog aactcaagag tototgtato ttocogaaac toatactgga agataaggca tgataatgga tttaagggaa taacaaaaag gagagaatac ottgagagga attttaaaga aaatttocoa gataaacttt ggootcatgt cocoogagga tatcaggaa	60 120 169
<210> 131 <211> 136 <212> DNA <213> Halobacterium sp	
<400> 131 ctactcgacg agatgaaggc gctcggcatc gcgccgcgcc	60 120 136

<210> 132 <2)1> 127 <212> DNA <213> Thermoplasma volcanium <400> 132 atgagggatg agctgatate teteggtgtt gttatgegte ttatgttggg tgat tgatgggaat ttetaaaga attteaagta ttaaatttge gettettet eeag	atgaas 60 acgaga 120
taagaaa	127
<210> 133 <211> 127 <212> DNA <213> Thermoplasma acidophilum	•
<400> 133 atgagggatg agctgatctc tctcggtgtt gttatgaggt taatgctcgg tgat tgatgggaat atcaaaaaga atttcatcaa taaaatttgc ccttcttct ccgg taagaaa	
<210> 134 <211> 141 <212> DNA <213> Sulfolobus acidocaldarius	
<400> 134 ttaattcaag aacttatgag tatggtaatt tcaccgagat taattttagg tgaa aacttaggag gtgcttcaaa tgagtgagaa gattatacgg ggcgtaaaat ttgg atcacctaat gaaataaggc a	aaagta 60 tgtatt 120 141
<210> 135 <211> 145 <212> DNA <213> Sulfolobus solfataricus	
<400> 135 ttaattcaag aactaatgag tatgattate teacetaggt tagttttgga ggattaagtg gaqqttaagg gaaatgagtg aaaagaatat aaaaggaata aagttaettetee tgacgaaata agaaa	aaagtt 60 ttggaa 120 145
<210> 136 <211> 134 <212> DNA <213> Pyrococcus abyssi	
<400> 136 ctcttggatg agcttaagge catggttatt aggccaaagt taaacctcac ggagtgagctatge aatccgttaa gaaggttate ggtagtatag agtttggaat teteraagaaatta gaaa	agggtg 60 teceet 120 134
<210> 137 <211> 134 <212> DNA <213> Pyrococcus horikoshii	
<400> 137	

```
cttctggatg agcttaaggc talgylgall agacctmagt tamacctcac ggagagggtg
                                                                        60
tgagccatgc actcayllum gamagettata ggtagtattg aatttggaat actttcccct
                                                                        120
caagaaatta ggaa
                                                                        134
<210> 138
<211> 224
<212> DNA
<213> Aeropyrum pernix
<400> 138
ctgctgcagg agataaccag tatgatgata aagccggaac tcaaggtagc cgacaagata
                                                                        60
tccgtcatca gaaaagtcgt cggcgactat acatgattac cccattttaa ttctcggatt
                                                                       120
togggggtgt toggtgctat gtotctaagg ctotcggagt tocgcgagac adacettota
                                                                       180
galaaqatac tetttggcgt ettaageece catgagataa ggca
                                                                       224
<210> 139
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> Primer
<220>
<221> misc_feature
<222> (6)..(7)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (9)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (12)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (18)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (21)
<223> n = a, g, c or t/u
<220>
<221> misc_feature
<222> (24)
<223> n = a, g, c or t/u<400> 139
marccnntng gngaymgngt natngt
                                                                        26
<210> 140
<211> 186
<212> DNA
<213> Past urella multocida
<400> 140
```

qaaaaaattg atggcgaaga gaataatttt lalcaacaac caatttgcat aacaagattc aatttg	acaaaatcgt	tatttctata	aataaacaaa	cttaaaatag	60 120 180 186
<210> 141 <211> 113 <212> DNA <213> Hacmophilus inf	luenzae	·			
<400> 141					
gaaaaaatcg atggtgaaga gaalaattat taaataaqqq	aqtqttaatc aaaagaaaat	atttctgaaa ggcagcaaaa	acqacatcct gacgtaaaat	aqcaattqta ttg	60 113
<210> 142 <211> 113					
<212> DNA <213> Haemophilus duc	reyi				
<400> 142					
gaaaaaattg atggcgaaga gaataatcga aqaataaggg	aattttaatt ataataaaat	ctttcagaga ggcaataaaa	atgacattct gacgttaaat	tgcaattgta ttg	60 113
<210> 143 <211> 137					
<212> DNA <213> Buchnera aphidi	cola				
<400> 143					
gaaaaaattg ataacgaaga gaatagtaaa ccacatgcta taaagatgta aaatttg	tatcattgaa	aattgattta	aggggatgtc	agcaattgtt aaatggccgc	60 120 137
<210> 144					
<211> 139 <212> DNA					
<213> Myzus persica					
<400> 144					
gaaaaaatta atactgaaga gaatagtaaa ctatatgcta gctaaagatg taaaatttg	tatccettta	aaaatttatt	gtgacatttt taagggaatg	agcaattgtt tcaeatggcc	60 120 139
<210> 145 <211> 144					
<212> DNA					
<213> Vibrio cholerae					
<400> 145	-X				
gaaaagatcg atggcaaaga gaataattga ttctgaatcc tqgctgctaa agacgtacgt	caacgaaatc	ttggctgaac aataactgaa	atgacatttt tttagaaagg	ggcaatcgtt aaatgaaaaa	60 120 144
<210> 146					
<211> 137 <212> DNA					
YELEP UNA					

<213> Escherichia coli	
<400> 146 gagaaqateg acaatgaaga agtgttgate atgteegaaa gegacattet ggeaattgtt gaagegtaat cetegeacga caetgaacat aegaatttaa ggaataaaga taatggeage taaagacgta aaatteg	60 120 137
<210> 147 <211> 137 <212> DNA <213> Escherichia coli	
<400> 147 qaqaaqatcq acaatqaaga agtgttgatc atgtccgaaa gcgacattct ggcaattgtt qaagcgtaat cctcgcacga cactgaacat acgaatttaa ggaataaaga taatggcagc taaagacgta aaattcg	60 120 137
<210> 148 <211> 137 <212> DNA <213> Escherichia coli	
<400> 148 gagaagateg acaatgaaga agtgttgate atgteegaaa gegacattet ggeaattgtt gaagegtaat eegegeaega caetgaacat aegaatttaa ggaataaaga taatggeage taaagaegta aaatteg	60 120 137
<210> 149 <211> 142 <212> DNA <213> Pseudomonas putida	
<400> 149 gtgaaagtcg atggcgaaga cctgctggta atggccgaga acgagattct cgccgttatc gaaggctgat ttccccgact tcccgttatt ccaaagcatt tcaaggatta aacgatcatg gctgctaaag acgtaaaatt cg	60 120 142
<210> 150 <211> 144 <212> DNA <213> Pseudomonas aeruginosa	
<400> 150 atcaaggtcg atggcgagga actgctggtg atgggcgagt ccgaaatect cgccgtectg gaagactgat cggtctcacc actccgttt caccgaattc gatttagagg aaagagaaca tggctgccaa agaagttaag ttcg	60 120 144
<210> 151 <211> 186 <212> DNA <213> Neisseria meningitidis	
<400> 151 gtaaaagccg acggcgaaga gctgttggta atgcgcgaag aagatatttt cggcatcgtt gaaaaataaa tacggacacg atgccgtctg aaacggcaaa ccgccttcag acggcataaa cggttttatc agacagtttt aatgattttt ggagaattg aatggcagca aaagacgtac aattcg	60 120 180 186

<210> 152 <211> 186 <212> DNA <213> Neisseria mcningitidis	
<400> 152 gtaaaagccg acggcgaaga gctgttggta atgcgcgaag aagatattt cggcatcgtt gaaaaataaa tacggacucg atgccgtctg aaacggcaaa ccgccttcag acggcataaa cggttttatc agacagtttt aatgattttt ggagaattga aatggcagca aaagacgtac agttcg	60 120 180 186
<210> 153 <211> 185 <212> DNA <213> Ncisseria gonorrhoeae	
<400> 153 gtaaaagccg acggcgaaga getgttggta atgegegaag aagatatttt eggeategtt gaaaaataaa taeggacaeg atgeegtetg aaacggcaaa cegeetteag aeggcataaa eggttttate agacagtttt aagatttttg gagaattgaa atggcagcaa aagacgtaca atteg	60 120 180 185
<210> 154 <211> 201 <212> DNA <213> Kylella fastidiosa	
<400> 154 tacaaggctg aaggcgtcga atacaaagta ttacgcgagg acgacateet ggcgateate ggttgattaa gccaageceg aaactegtga atgcateega catateaege caacageggg cacattgtte catacateae taatgttete ategegaate ttggagtaaa aacataatgg ctgccaaaga aattattte a	60 120 180 201
<210> 155 <211> 224 <212> DNA <213> Streptomyces coelicolor	
<400> 155 gtgaagtaca acggcgagga gtacetegte eteteggeee gcgacgtget egcgategte gagaagtaga agtagtactt egetteaceg aageacettg etteeaget gegeeeetgg eteneggee cataaaaage egggcgtegg gggcgcagtt geegtataae eccaagattt eeggaagagg geteacgete ecatggegaa gateetgaag tteg	60 120 180 224
<210> 156 <211> 185 <212> DNA <213> Mycobacterium tuberculosis	
<400> 156 alcaagtaca acggcgagga atacctgate etgteggeae gegaegtget ggcegtegtt tecaagtagt agagegtgtt eegeeeegge gateceegtg eteaceaegg gtgatteeg gggeggeatg egttagegga etageeetge gtagaggage etgatgagea agetgatega atacg	60 120 180 185

<210> 157	
<211> 185	
<212> DNA	
<213> Mycobacterium tuberculosis	
<400> 157	
atcaagtaca acggcgagga atacctgatc ctgtcqqcac qcgacgtgct ggccgtcgtt	60
tccaagtagt agagegtgtt cegeceegge gateceegtg etcaceaegg gtgattteeg	120
gggcggcatg cgttagcgga ctagccctgc ytagagyagc ctgatgagca agctgatcga	180
atacg	185
<210> 158	
<211> 169	
<212> DNA	
<213> Mycobacterium leprae	
•	
<400> 158	
atcaagtaca atggcgagga atacetgate etgteggeae gtgaegtget ggetgtegta	60
tocaagtaac gaaccgtgtt ccgccccggc gatccccgtg cttaaccacg ggtgatttcc	120
ggggcggcat gcgtttaaag gagcctgatg agcaagctga ttgagtacg	169
<210> 159	
<211> 103	
<212> DNA	
<213> Thermus aquaticus	
• • • • • • • • • • • • • • • • • • • •	
<400> 159	
attgagattg caccgcgaag gacgtacgtg atectelecg agegegaeet gettgeggte	60
ctgcagtaaa ggaggtgaac catggcgaag atcctggtgt ttg	103
<210> 160	
<211> 100	
<211> IGG <212> DNA	
<213> Thermus thermophilus	
<400> 160	
attgagattg acggcgagga gtacgtgatc ctctccgagc gcgacctgct tgcggtcctg	60
caqtaaagga ggtgaaccat ggcgaagate etggtgtttg	100
<210> 161	
<211> 100	
<212> DNA <213> Thornus the markillus	
<213> Thermus thermophilus	
<400> 161	
attgagattg acggcgagga gtacgtgatc ctctccgagc gcgacctgct tgcggtcctg	60
cagtaaagga ggtgaactat ggcgaagatc ctggtgtttg	100
5 55 55 85 88 5 88 5 88 5 88 5 88 5 8 5	200
<210> 162	
<211> 162	
<212> DNA	
<213> Deinococcus radiodurans	
4100× 100	
<400> 162	
gtcagcctcg aaggcaagaa ctacagcctg ctgagcgagc gcgacctgct cgccattgtc	60
gagtaagget cegagteagg ttetgageet gttegttee tgttttett ecteattea	120
cttttcaagg agcaatcaca atggctaaac agctcgtgtt tg	162

<210> 163 <211> 121 <212> DNA <213> Horphysonopag gippinglin	
<213> Forphyromonas gingivalis	
<400> 163 atagagetgg agggegaaaa atatateate atgegeeaaa aegatgtett ggeaateate taatteteag agacaataae etaeaataaa aaataaagae tatggeaaaa gaaateaaat t	60 120 121
<210> 164 <211> 134 <212> DNA <213> Bacillus subtilis	
<400> 164 gtgaaatacg aaggtactga atacttaatc ttacgtgaaa gcgacatttt agctgttatc ggctaattct taaataaaca atacttaaaa catttgagga ggtcttgtaa acatggcaaa agaaattaag ttta	60 120 134
<210> 165 <211> 180 <212> DNA <213> Bacillus halodurans	
<400> 165 gtaaaatatg atggtaaaga gtalllaalu otlogtgaaa gogatattot ogogattato ggttaatttt acglagggli alcootacat acatgtaaga ogagaggttt ttgtotatto ctottttgta aaataccatt caggaggttg agaataacat ggcaaaagat attaagttta	60 120 180
<210> 166 <211> 121 <212> DNA <213> Lactobacillus zeae	
<400> 166	
gtgaagtatg aaggtcaaga ctaccttgta ttgcatgaaa aagacatcat ggcaattgcg	60 120 121
<210> 167 <211> 142 <212> DNA <213> Clostridium perfringens	
<100\\\ 167	
<400> 167 gttaagttcg agggggaaga atatactatt ttaagacaag acgatatact agcaatagtt gaatagttt aaaatataag tgatttagat attcataata tatttgggag gtaaattaat atggctaaaa cattattatt cg	60 120 142
<210> 168 <211> 120 <212> DNA <213> Clostridium difficile	
<400> 168	
gttaagatag aaggacaaga atacacaata ctaagacaga gtgatgtatt agctgttatt	60 120

<210> 169 <211> 129 <212> DNA <213> Clostridium acetobutylicum	
<400> 169 ataaaagttg acaatgaaga attgttaatt ttaagacagg acgatatttt aggaattgta gaagaataag ctatcaattt tgttaataat tcagggaggg attctaaatg gcaaagcaaa	60 120 129
<210> 170 <211> 141 <212> DNA <213> Lactobacillus helveticus	
<400> 170 gttgaatacg aaggtgaaaa gtacttagtc cttcatgaaa aagacatttt agcaattgca aaataattga cgcaattett agaaattaaa atacgagatt aaggaggcat agataatcta tggcaaaaga tattaaattc t	60 120 141
<210> 171 <211> 118 <212> DNA <213> Lactobacillus johnsonii	
<400> 171 ttgaagtacg aaggegaaaa gtacttagtt cttcgtgaaa gegaettatt agetgtegtt aagtaataaa atttgaaata aaaggtggea talaalalgg elaaagagal laaalilt	60 118
<210> 172 <211> 143 <212> DNA <213> Staphylococcus epidermis	
<400> 172 gtaaaacgtg gcgcccaaac atatttaatt ttaaatgaag aagatatatt agctattata gaataaagag cgaattttaa atattaatta aatgatttaa taagtggagg ttgtttagac tatggcaaaa gatcttaaat tct	60 120 143
<210> 173 <211> 163 <212> DNA <213> Staphylococcus aureus	
<400> \173 gttaaacgag ataatgaaac atatctagta ttaaatgaag aagatatttt agcggtaatt gaataatata aaattaaatt catagataaa ttgtaaagaa cgaaaatgaa atatgactaa acaaatggag gtttatcatt tatggttaaa caattgaaat tct	60 120 163
<210> 174 <211> 106 <212> DNA <213> Streptococcus pneumoniae	
<400> 174 gtcaaagatg gcgatgaaaa gtacatcatc gtaggcgaag ctaacatttt ggcaatcatt gaggaataga aggagaaagt aagtatgtca aaagaaatta aatttt	60 106

20/01 2003 LUN 18:05 FAX 01 44 29 35 99 CABINET REGIMBEAU

<210> 175	
<211> 175	
<212> DNA	
<213> Lactococcus lactis	
<400> 175	
gtaaaaatgg atggtgaaga attettgatt eteaaagatt eagae	ecttct tocaattota 60
gagtaaaatt ataaaagcaa tuatttttt ggttgtcttt tgtct	atett aaaatetata 120
aaattaaaaa tatattotta aasaggagot aaaatgtoaa aagat	
, , , , , , , , , , , , , , , , , , ,	
<210> 176	
<211> 111	•
<212> DNA <213> Rickettsia prowasekii	ŧ
COID NICKECSIA PIOMASERII	
<400> 176	
attgaaataa aaggagaaaa attaatogtt atgaaagaaa gogat	gtatt tggtattatt 60
aattaattat tiittaggaga aaaaatatga caacgaaact tatta	maacac g 111
<210> 177	•
<211> 177	
<212> DNA	
<213> Chlamydia muridarum	
-	
<400> 177	
ctcactgtcg maggtgmagm atatgtcatc gttcmmatgm gcgmm	
caataaaaac taagagagtg aagtaagatt taaggagcgc atcga	tggtc gctaaaaata 120 129
llaaalata	129
<210> 178	
<211> 128	
<212> DNA	
<213> Chlamydia trachomatis	
<400> 178	
cttactgtcg aaggtgaaga gtacgtcatc gttcaaatga gcgaa	gttat cgcagttctg 60
caataaaac taagagagtg aagaagattt aaggagcgca tcaat	
taaataca	128
<210> 179 <211> 132	
<211> 132 <212> DNA	
<213> Chlamydophila pneumoniae	
- Production - Pro	
<400> 179	
atcacaatcg atgacgaaga gtatgtcatt ctacagtcca gtgaa	
aaataaaata ctagtttgca gattatagaa agttaaggag aacaa	
atattaaata ta	132
<210> 180	
<211> 132	
<212> DNA	
<213> Chlamydophila pneumoniae	
<400> 180	
atcacaatcg atgacgaaga gtatgtcatt ctacagtcca gtgaa	
aaataaaata ctagtttgca gattatagaa agttaaggag aacaa	legatg geagegaaaa 120

20/01 2003 LUN 18:06 FAX 01 44 29 35 99 CABINET REGIMBEAU

atattaaata la	132
<210> 181 <211> 132 <212> DNA <213> Chlamydophila pneumoniae	
<400> 181 atcacaatcg atgacgaaga gtatgtcatt ctacagtcca gtgaaatcat ggccgtccta aaataaaata ctagtttgca gattatagaa agttaaggag aacaacgatg gcagcgaaaa atattaaata ta	60 120 132
<210> 182 <211> 141 <212> DNA <213> Chlamydophila caviae	
<400> 182 cttaccgttg atggtgagga gtacgtcatt gttcaggaaa gcgaagttat ggcagttctc aagtaagaga aatcattatt tatagattgc aaaaagttaa ggagcacaaa aaaacaatgg cagcaaaaaa tattaaatat a	60 120 141
<210> 183 <211> 160 <212> DNA <213> Helicobacter pylori	
<400> 183 Ctagaagaca ttctaggcat tgtgggctca ggctcttgtt gtcatacagg taatcatgac cataaacatg ctaaagagca tgaagcttgc tgtcatgatc acaaaaaaca ctaaaaacat tattattaag gatacaaaat ggcaaaagaa atcaaatttt	60 120 160
<210> 184 <211> 160 <212> DNA <213> Helicobacter pylori	
<400> 184 ctagaagaca ttctaggtat tgtqqqctca ggctcttgct gtcatacagg taatcatgac cataaacatg ctaaaqaqca tgaagcttgc tgtcatgatc acaaaaaca ctaaaaacat tattattaag gatacaaaat ggcaaaagaa alcaaatttt	60 120 160
<210> 185 <211> 72 <212> DNA <213> Campylobacter jejuni	
<400> 185 ttagatgata tottaggaat tttaaaataa tttataaaaa aggataaaaa atggcaaaag aaattatttt tt	60 72
<210> 186 <211> 136 <212> DNA <213> Clostridium thermocellum	
<400> 186 gtaaaatttg acggacagga atatacgatc ttaagacaaa acgatatttt ggcggtagta gagtaattat attaccaact tcaatacaaa aagtateeta aggaggttaa tcatatggca	60 120

aagcaaataa aatttg	136
<210> 187 <211> 127 <212> DNA <213> Mycoplasma genitalium	
<400> 187 tttgagaatg agggaaacaa gtacaaaatt attggatttg aggatgtact tgcctttgaa aaaccagaaa gtggtaagca aagaaaaaga taaaattaaa caattatggc aaaggaatta atctttg	60 120 127
<210> 188 <211> 138 <212> DNA <213> Mycoplasma pneumoniae	
<400> 188	50
tttgaagagg aaggtaccaa gtacaagatt atttccttgg aagatgtcct tgcttttgaa aagcatggta atacaaaaac tactactgta aagaaaggag ctaagaaaaa atagttatgg caaaggaatt agtatttg	60 120 138
<210> 189 <211> 120 <212> DNA <213> Aquifex aeolicus	
<400> 189	
gtagagattg aaggaaagat ttacctcgtt atgtctgaag acgaagtttt agctgttgtt gaagattatt caagcttaat aggaggtgag gtgagatggc agcaaaggca attatctaca	60 120